

Product data sheet

Specifications



Switching Module Kit for TeSys Giga contactor LC1G630-800, 3 pole

LA9G3TA

Main

Range	TeSys
Device short name	LA9G
Product or component type	Switch module
Quantity per set	Set of 3

Complementary

Product compatibility	LC1G630...800
Accessory / separate part type	Kit
Maximum [Ie] rated operational current	1050 A AC-1 <= 440 V at 40 °C 800 A AC-3 <= 440 V at 40 °C
Poles description	3P
Connections - terminals	Bolted connection
Height	127.5 mm
Width	284 mm
Depth	202 mm
Net weight	8.5 kg

Environment

Pollution degree	3 conforming to IEC 60947-1
Operating altitude	3000 m without power derating 5000 m with derating factor
Standards	EN/IEC 60947-4-1 UL 60947-4-1 CSA C22.2 No 60947-4-1 GB/T 14048.4
Ambient air temperature for operation	-25...60 °C
Ambient air temperature for storage	-60...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Package 1 Height	24.2 cm
Package 1 Width	36.5 cm
Package 1 Length	35.4 cm
Package 1 Weight	3 kg
Unit Type of Package 2	S04
Number of Units in Package 2	1
Package 2 Height	30 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	3.76 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
PVC free	Yes
Halogen content performance	Halogen free plastic parts product
California proposition 65	WARNING: This product can expose you to chemicals including: Styrene, which is known to the State of California to cause cancer, and Bisphenol A (BPA), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Installation Videos

[TeSys Giga - How to replace switching modules](#)

Recommended replacement(s)